

PUBLIC PROTECTION CABINET Department of Professional Licensing 500 Mero Street Frankfort, KY 40601 Phone: (502) 564-3296 Fax: (502) 564-4818 https://dpl.ky.gov/

Ray A. Perry Secretary

# **Open Meetings Notice**

The Kentucky Board of Speech-Language Pathology and Audiology will meet on March 14, 2023, at 1 PM EST. Announcement of this meeting is pursuant to the Open Meetings Act, specifically KRS 61.820. This meeting shall be a video teleconference. Members of the public may observe this meeting at the Mayo-Underwood Building, 500 Mero Street, 127 CW in Frankfort, KY.

The meeting may also be accessed by the following teleconference link and/or telephone number:

Join from PC, Mac, Linux, iOS or Android: <u>https://us06web.zoom.us/j/86394685859?pwd=Y0JmOVN1cHc3Y2JMenhQb0lUNzczZz09</u> Password: 125963

Or Telephone: Dial: USA 713 353 0212 USA 8888227517 (US Toll Free) Conference code: 327149

**Andy Beshear** 

Governor



# KENTUCKY BOARD OF SPEECH-LANGUAGE PATHOLOGY AND AUDIOLOGY MEETING AGENDA March 14, 2023

March 14, 2023

## **Call to Order**

Review of Minutes – February 14, 2023

### SLP FY23 Monthly Financial Report

-February 2023

### **Licensure Status Report**

### **DPL Report**

• DPL Update

## Attorney's Report

#### **Old Business**

- Updated Tracking Sheet
- Council of State Governments Interstate Compact Review
- Audit Renewal Review Reminder

#### **New Business**

• Statute Update- 334A.035

## **Complaint Committee Report**

#### **Application Review**

- a. Speech-Language Pathology Interim
- b. Speech-Language Pathology
- c. Speech-Language Pathology Assistant Interim
- d. Speech-Language Pathology Assistant
- e. Audiologist
- f. Change in Supervision and/or PPE Setting
- g. Extension
- h. Reinstatement
- i. Continuing Education
- j. Audit Renewals
- k. Ratification of Renewals

# Approval of Travel and Per Diem

Next Meeting – April 11, 2023

Adjournment

This will be a regular meeting. Discussions and action at the meeting are not limited to items listed on the agenda.